



Cambridge International AS Level

CANDIDATE NAME



CENTRE NUMBER

--	--	--	--	--

CANDIDATE NUMBER

--	--	--	--



ENVIRONMENTAL MANAGEMENT

8291/22

Paper 2 Management in Context

October/November 2024

1 hour 45 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].

This document has **24** pages. Any blank pages are indicated.





1 Fig. 1.1 shows a vertical aquaculture farm.

Content removed due to copyright restrictions.

Fig. 1.1

In Fig. 1.1, seaweed grows from ropes under the water. Shellfish such as mussels grow on chains. Scallops and oysters are farmed in nets and cages.

Seaweed photosynthesises. Some species of seaweed grow up to 0.5 m in one day.

The seaweed is harvested for use as human and animal food, organic fertiliser and biofuel; it is also used as an ingredient in natural medicines, cosmetics and bioplastics.

Any seaweed that is not harvested falls to the sea floor and is covered by layers of sediment.

(a) Vertical aquaculture farming is an example of adaptation to climate change.

(i) Suggest why some crop farmers need to adapt to climate change by investing in aquaculture.

.....

.....

.....

.....

.....

.....

.....

..... [3]

DO NOT WRITE IN THIS MARGIN





(ii) Suggest how vertical aquaculture can reduce the concentration of carbon dioxide in the atmosphere.

.....
.....
.....
.....
.....
..... [3]

(iii) Suggest **one** benefit of vertical aquaculture farming other than reducing the impacts of climate change.

..... [1]

DO NOT WRITE IN THIS MARGIN





(b) Fig. 1.2 shows the annual yield of seaweed from aquaculture farms in China from 1978 to 2014.




Fig. 1.2

(i) Describe the trend in the annual yield of seaweed from aquaculture farms in China from 1978 to 2014.

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... [3]

(ii) Suggest **one** reason for a decrease in annual yield of seaweed from aquaculture farms.

.....

.....

..... [1]

DO NOT WRITE IN THIS MARGIN





(c) The seaweed aquaculture farming sector is predicted to grow.

Fig. 1.3 shows three predictions for global yield of seaweed from aquaculture farms based on three different percentage growth rates.

Key

percentage growth rate per year

- ▲ 6%
- * 12%
- 20%

annual yield of seaweed / million tonnes




Fig. 1.3

Table 1.1 shows the area of ocean required by 2050 for each percentage growth rate.

Table 1.1

percentage growth rate per year	area of ocean required by 2050 /km ²
6	12 797
12	74 524
20	677 832

Suggest why there is concern about the impact of a 20% growth rate in global aquaculture.

.....

.....

.....

..... [2]



DO NOT WRITE IN THIS MARGIN



(d) Overfishing impacts ecosystems.

Describe strategies for reducing the impact of overfishing.

.....

.....

.....

.....

.....

..... [3]

(e) The ocean is a source of salt water.

(i) State **three** sources of surface fresh water.

1

2

3 [3]

(ii) The atmosphere contains water vapour.

State **three** other gases in unpolluted air.

1

2

3 [3]

(f) Water is an abiotic component of an ecosystem.

State **three** other abiotic components of an ecosystem.

1

2

3 [3]

[Total: 25]

DO NOT WRITE IN THIS MARGIN



* 00080000007 *



7

BLANK PAGE



DO NOT WRITE IN THIS MARGIN





2 (a) Bats are flying nocturnal mammals. They are active at night time and feed on insects.

Fig. 2.1 shows a bat. This species of bat has a wingspan of approximately 12 cm.



Fig. 2.1

A biologist investigates bat activity using an electronic detector.

The bats nest in a cave. The detector counts the number of bat flights into and out of the cave for 70 nights.

The bat activity for each night is calculated as a percentage of the total activity for the 70-day period.

The number of insects near the cave is recorded for the same number of nights.

Fig. 2.2 shows the results.




Fig. 2.2





(i) Data is collected from a second electronic detector that does **not** record bat activity.

Suggest why this data is collected.

.....
..... [1]

(ii) The biologist hypothesises that bat activity increases when insect numbers increase.

Conclude whether the data in Fig. 2.2 supports the biologist's hypothesis. Give a reason to support your conclusion.

.....
..... [1]

(iii) Suggest why the data in Fig. 2.2 is **not** used to predict the population of the bats in the cave.

.....
..... [1]

(b) Bats travel between 0.5km and 65km to find food.

Suggest how the distance bats travel from the cave for food can be investigated.

.....
.....
.....
..... [2]

(c) Some species of bats are endangered.

Explain the role of the Convention on International Trade in Endangered Species (CITES) in conserving bat populations.

.....
.....
.....
.....
.....
..... [3]

DO NOT WRITE IN THIS MARGIN





(d) The data for the number of insects in Fig. 2.2 were collected using the large suction device shown in Fig. 2.3.

Content removed due to copyright restrictions.

Fig. 2.3

Suggest the benefits and limitations of using this large suction device to monitor insect population.

benefits
.....
.....
.....

limitations
.....
.....
.....

[4]

[Total: 12]

DO NOT WRITE IN THIS MARGIN



* 00080000011 *



11



BLANK PAGE

DO NOT WRITE IN THIS MARGIN





3 Gold is a valuable metal.

(a) Mercury, Hg, is used to extract gold in small-scale gold mining.

Mercury is mixed with gold-containing minerals. The gold dissolves in mercury. The mercury-gold mixture is then heated. The mercury is converted into a gas and the gold is left to cool and become solid.

Fig. 3.1 shows how gaseous mercury is deposited onto the land.

Key

 dust and gases

 water

 leaf

Hg mercury

→ movement of mercury (Hg)




Fig. 3.1

DO NOT WRITE IN THIS MARGIN





Use Fig. 3.1 to explain how mercury is deposited onto the land.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... [4]

DO NOT WRITE IN THIS MARGIN





(b) A chemist analyses soil samples from villages close to small-scale gold mines in five countries.


Table 3.1 shows the results.

Table 3.1

country	mercury concentration / $\mu\text{g per g}^*$
China	4.5
Ghana	5.0
Peru	44.0
Tanzania	9.0
Venezuela	27.0

* μg of mercury per g of soil

Plot the data as a bar chart on the grid.



[4]



DO NOT WRITE IN THIS MARGIN



(c) Many gold reserves are buried under areas of tropical rainforest.

Fig. 3.2 shows an illegal gold mine in the Amazon rainforest.



Fig. 3.2

Describe the impact of gold mining on the rainforest in Fig. 3.2.

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... [4]

DO NOT WRITE IN THIS MARGIN





(d) The polluter pays principle is a strategy for managing the impacts of pollution.

(i) Describe how the polluter pays principle could manage the impacts of gold mining.

.....

.....

.....

..... [2]

(ii) State **two** limitations of this principle for dealing with the impacts shown in Fig. 3.2.

1

.....

2

..... [2]

(e) Sustainable management of resources is an environmental management strategy.

(i) Define the term sustainability.

.....

.....

.....

..... [2]

(ii) Suggest **two** strategies for managing gold as a resource.

1

.....

2

..... [2]

[Total: 20]

DO NOT WRITE IN THIS MARGIN





4 (a) Fig. 4.1 shows areas of tundra biome.

Key

■ tundra biome




Fig. 4.1

Describe the distribution of tundra biome shown on Fig. 4.1.

.....

.....

.....

.....

.....

.....

.....

.....

[3]



DO NOT WRITE IN THIS MARGIN



(b) Fig. 4.2 shows climate data for a tundra biome.

Key

- precipitation / mm
- x temperature / °C




Fig. 4.2

(i) Complete Fig. 4.2 by drawing a line between data points for the temperature data. [1]

(ii) Calculate the range in precipitation for the tundra biome in Fig. 4.2.

..... mm [1]

(iii) A tundra biome receives 250 mm of precipitation a year.

A rainforest biome receives 2000 mm of precipitation a year.

Calculate the simplest whole number ratio for precipitation in the tundra biome compared to the rainforest biome.

..... : [1]

(iv) Circle **all** the types of vegetation associated with a tundra biome.

- cactus fern lichen moss palm tree vine

[1]





(v) Suggest why crops are **not** grown in tundra biomes.

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... [4]

DO NOT WRITE IN THIS MARGIN





(c) A scientist uses a quadrat to investigate plant biodiversity in a tundra biome.

(i) The scientist randomly selects one location on one day.

Suggest how the location is selected at random.

.....
.....
.....
..... [2]

(ii) The scientist uses a systematic sampling strategy to position 5 quadrats along a 10m sampling line (transect).

Complete Fig. 4.3 to show suitable positions for the 5 quadrats.

Key

-  sampling line (transect)
- X sample position



Fig. 4.3

[2]

(iii) Describe limitations of the scientist's method of investigating plant biodiversity in the tundra biome.

.....
.....
.....
.....
.....
..... [3]





(d) Table 4.1 shows the results of the investigation.

Table 4.1

plant species	number of plants (<i>n</i>)
U	2
V	9
W	1
Y	3
Z	1

The scientist uses Simpson's index of diversity to reach a conclusion about the biodiversity of plant species in the tundra biome.

(i) Use the following steps to calculate Simpson's index of diversity (*D*).

- Calculate the total number of plants (*N*).

N =

- Calculate $\left(\frac{n}{N}\right)^2$ for each plant species.

U =

V =

W =

Y =

Z =

- Calculate $\Sigma\left(\frac{n}{N}\right)^2$.

$\Sigma\left(\frac{n}{N}\right)^2 = \dots\dots\dots$

- Calculate *D* using the formula shown.

$D = 1 - \left(\Sigma\left(\frac{n}{N}\right)^2\right)$

D = [4]

(ii) Suggest how the value of *D* for a tundra biome would be different for a rainforest biome. Give a reason for your answer.

.....
..... [1]

[Total: 23]



DO NOT WRITE IN THIS MARGIN



DO NOT WRITE IN THIS MARGIN



* 000800000023 *



23



BLANK PAGE

DO NOT WRITE IN THIS MARGIN





BLANK PAGE

DO NOT WRITE IN THIS MARGIN

The boundaries and names shown, the designations used and the presentation of material on any maps contained in this question paper/insert do not imply official endorsement or acceptance by Cambridge Assessment International Education concerning the legal status of any country, territory, or area or any of its authorities, or of the delimitation of its frontiers or boundaries.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

