

Cambridge IGCSE[™]

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

COMBINED SCIENCE

0653/31

Paper 3 Theory (Core)

May/June 2024

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

1 (a) Fig. 1.1 is a diagram of the alimentary canal and associated organs in humans.




Fig. 1.1

					[1]
	absorption	egestion	ingestion	synthesis	-4-
(ii)	Circle one function of	f the part labelled D	in Fig. 1.1.		
	the liver				[2]
	a salivary gland				
(i)	State the letter on Fig	g. 1.1 that identifies	the position of:		

(b) Enzymes digest food in the human alimentary canal.

Fig. 1.2 shows the effect of temperature on the activity of two different enzymes.




Fig. 1.2

(i) Identify the temperature where both enzyme **X** and enzyme **Y** have the same enzyme activity.

Tick (\checkmark) the correct box.

15°C	
40°C	
48°C	
55°C	
90°C	

4	7
7	

(ii) The temperature of the human body is usually within the range 36.5 °C to 37.5 °C.

State why enzyme **Y** is **not** found in the human alimentary canal.

			[41
 	 	 	111

(c) (i) The boxes on the left show some types of biological molecules.

The boxes on the right show some tests used to identify biological molecules.

Draw **one** straight line from each biological molecule to its correct test.

	biological molecule	test	
		Benedict's solution	
	starch		
		biuret	
	protein	ethanol emulsion	
		iodine solution	
			[2]
(ii)	State the name of	of the smaller molecules that large protein molecules are	e made from.
			[1]
(iii)	Starch is a carbo	hydrate.	
	List all the chemi	cal elements that make up carbohydrates.	
			[1]
			[Total: 9]

BLANK PAGE

The	e eler	nents chlorine, bromine and iodine are diatomic covalent molecules.	
(a)	Sta	te the meaning of diatomic.	
			[1]
(b)		inplete the dot-and-cross diagram in Fig. 2.1 to show the outer-shell electrons in a molecular hlorine, $\mathrm{C}l_2$.	əlu
		Fig. 2.1	[2]
(c)	Chl	orine reacts exothermically with sodium to form the ionic compound sodium chloride.	
	(i)	State the meaning of exothermic.	
			[1]
	(ii)	Describe what happens to a sodium atom and to a chlorine atom when they react to fo the ionic compound sodium chloride.	
		Use ideas about electrons in your answer.	
		sodium atom	
		chlorine atom	
			 [2]
	(iii)	Describe the difference in volatility between ionic compounds and covalent compound	

(i) Identify the solute and the solvent in aqueous sodium chloride.

(d)	Solid sodium carbonate reacts with dilute hydrochloric acid to form aqueous sodium chloride,
	carbon dioxide and one other product.

solute
solvent

(ii) Complete the word equation for this reaction.



(iii) The structure of sodium carbonate is shown in Fig. 2.2.




Fig. 2.2

Deduce the formula of sodium carbonate.

.....[1]

[Total: 11]

[2]

3 Fig. 3.1 shows an aluminium pan containing water, being heated on a hotplate of a cooker.

There is a glass lid on the pan and a thermometer dips into the water.




Fig. 3.1

(a) The thermometer reads 60 °C.

Water droplets can be seen condensing on the underside of the glass lid.

	(i)	State the process that forms water vapour at 60 °C.
		[1]
	(ii)	State the process that happens when the temperature of the water reaches 100 °C.
		[1
b)	(i)	State the process that transfers thermal energy from the cooker to the water through the aluminium pan.
		[1
	(ii)	Another pan on the cooker has the same shape but is made of glass.
		The pan contains the same volume of water as the aluminium pan, has a lid and is heated on an identical hotplate.
		Explain why the water in the glass pan takes a longer time to reach 100 °C.

(c) A thermometer is placed in another pan of water.

Fig. 3.2 shows what an observer sees when viewing the pan from the side.




Fig. 3.2

State the property of light that makes the thermometer appear bent.

......[1]

(d) A person reads the thermometer when it is reflected in a plane mirror.

Fig. 3.3 shows a ray of light from the thermometer reading to the mirror. The normal at the mirror is also shown.




Fig. 3.3

(i) On Fig. 3.3, complete the ray diagram to show the ray of light reflected by the mirror.


Draw an **X** in a correct place for an eye to see the reflection of the thermometer reading.

[2]

	(ii)	The thermometer reading on the scale is 30 °C as shown in Fig. 3.4.	
		Complete the right-hand box in Fig. 3.4 to show the image of the reading as see reflected in the mirror.	n
		30	
		Fig. 3.4	1]
(e)	Visi	ble light is part of the electromagnetic spectrum.	
	Sta	te one part of the electromagnetic spectrum with a higher frequency than visible light.	
		[1	1]
(f)	Mic	rowaves are part of the electromagnetic spectrum.	
	Sta	te one use of microwaves.	
		[1	1]
		[Total: 10)]

BLANK PAGE

(a) Fig. 4.1 shows the pathway taken by water through a plant root.



NOT TO Key SCALE direction of movement of water Fig. 4.1 State the name of the type of cells labelled **Q** in Fig. 4.1.[1] (ii) On Fig. 4.1, draw a label line and the letter **V** to identify **one** vacuole. [1] (iii) Complete the sentences to describe the pathway taken by water through the leaf. Choose words from the list.

osmosis

evaporation transmission transpiration Water moves from the xylem to the air spaces in the leaf by from the surface of mesophyll cells. The water vapour then passes out of the stomata by the process of This loss of water vapour from the leaves is called

© UCLES 2024 0653/31/M/J/24

Each word may be used only once.

diffusion

(i)

[3]

(b) Fig. 4.2 shows a plant reproducing asexually.




Fig. 4.2

Tick (✓) **two** correct statements about the plants shown in Fig. 4.2.

The offspring are genetically identical to the parent plant.	
The offspring developed from germinating seeds.	
The parent plant needed flowers to produce the offspring.	
Fertilisation did not take place to produce the offspring.	
The parent plant has been pollinated to produce the offspring.	

[2]

(c) (i) Explain why plants are classified as producers in a food chain.

(ii) Fig. 4.3 shows a food chain.

Circle the primary consumer in Fig. 4.3.




Fig. 4.3

[1]

[Total: 10] [Turn over

5 Petroleum is a mixture of hydrocarbons.

Fig. 5.1 shows the process that separates petroleum into hydrocarbons and another process, process ${\bf B}$.




Fig. 5.1

(a) (i) Circle the name of the process that separates petroleum into hydrocarbons.

	cnrc	omatograpny	crystallisation	filtration	fractional distillation	
	(ii)	State one use for				[1]
	(iii)	State one use for	fraction A.			
						[1]
		cess B produces the unsaturated hydrocarbon ethene.				
	(i)	State the name of	process B .			
						[1]
	(ii)	Explain why ether	ne is described as ur	isaturated and a		
		hydrocarbon				
						[2]

	(iii)	Describe a chemical test for unsaturated hydrocarbons.			
		State the observation for a positive result.			
		test			
		observation			
			 [2]		
	(iv)	State the type of chemical reaction that converts ethene monomer units to poly(ethen	e).		
			[1]		
(c)	Pet	roleum is one example of a fossil fuel.			
	Another fossil fuel has a greenhouse gas as its main constituent.				
	Stat	te the name of this other fossil fuel.			
			[1]		
		[Total:	10]		

6 Fig. 6.1 shows a mechanical crane using force **P** to lift a box from the ground to the top of a building.




Fig. 6.1

	(a)	(i)	The box	weighs	15000 N.
--	-----	-----	---------	--------	----------

Calculate the mass of the box.

The gravitational force on unit mass is 10 N/kg.

(ii) The box has a volume of $2.0 \,\mathrm{m}^3$.

Use your answer to (a)(i) to calculate the density of the box.

density =
$$kg/m^3$$
 [2]

(b)	Whe	en the box is on the ground, the crane applies force P of 16000 N to the box.
	Des	cribe what happens to the box when this force is applied.
	Use	ideas about motion in your answer.
		[2]
(c)	The	building is 56 m tall. The crane lifts the box at an average speed of 0.28 m/s.
	(i)	Calculate the time taken to lift the box from the ground to the top of the building.
		time = s [2]
	(ii)	The box gains 825 000 J of gravitational potential energy (GPE) when it is lifted to the top of the building.
		The crane lifts a second box of the same weight to the top of the building at an average speed of $0.50\mathrm{m/s}$.
		State whether the second box gains more, less or the same gravitational potential energy (GPE) as the first box.
		Explain your answer.
		[Total: 10]

7 (a) Fig. 7.1 shows part of the human circulatory system.




Fig. 7.1

(i) The arrows show the direction of blood flow in the circulatory system.

Identify the blood vessel labelled **R** in Fig. 7.1.

Circle the correct answer.

	aorta	pulmonary artery	pulmonary vein	vena cava	[1]
(ii)	State the fu	unction of valves in the ci	rculatory system.		
					[1]

(b) The pulse rate of a student is measured at rest and during different types of physical activity.
Table 7.1 shows the results.

Table 7.1

physical activity	pulse rate / beats per minute
rest	70
slow walking	112
fast walking	126
running	135

(i) Calculate the percentage increase in pulse rate between rest and slow walking.

		percentage increase [2]
	(ii)	Exercise requires increased muscle contraction.
		Explain why muscles need more oxygen during exercise.
		[2]
(c)	Hur	nans also have a reproductive system.
		te the name of the part of the human reproductive system that produces sperm and the that produces eggs.
	spe	rm
	egg	s
		[2]

[Total: 8]

8 (a) Solid zinc and dilute sulfuric acid react to form zinc sulfate and hydrogen gas.

$$Zn + H_2SO_4 \rightarrow ZnSO_4 + H_2$$

(i) A student measures and controls the temperature, the volume and the concentration of the acid.

State **two other** measurements that the student needs to make to investigate the rate of this reaction.

1	
2	

(ii) Describe what happens to the pH number of the reaction mixture during the reaction.



(b) Dilute sulfuric acid is electrolysed using the apparatus shown in Fig. 8.1.




Fig. 8.1

(i)) State the	name of the	e negative	electrode.
-----	-------------	-------------	------------	------------

F.A.	٦.
11	
[1	1

(ii) Identify the product that forms at the positive electrode.



[Total: 5]

[2]

9 Fig. 9.1 shows an electrical circuit with components labelled **E**, **F**, **G**, **H** and **J**.




Fig. 9.1

(a) State the letter of the component that:

Give the unit of your answer.

(b)

(i)	is the energy source for the circuit.	[1
(ii)	is connected in parallel with another component.	[1
(iii)	measures the current in the circuit.	[1
(iv)	can be used to vary the current in the circuit.	[1
The	potential difference across the battery is 3.0 V. The current in the circuit is 0.6A.	
Cal	culate the total resistance in the circuit	

resistance =		unit	[3]	
--------------	--	------	-----	--

[Total: 7]

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

	=	2 L	pelin d	4	10	Ne	neon 20	18	Ar	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon	118	Og	oganesson -
	=>				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Ŗ	bromine 80	53	Н	iodine 127	85	Ą	astatine -	117	<u>S</u>	tennessine -
	>				8	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	Б	tellurium 128	84	Ро	polonium	116	_	livermorium -
	>				7	z	nitrogen 14	15	₾	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	<u>.</u>	bismuth 209	115	Mc	moscovium -
	≥				9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Ъ	lead 207	114	Εl	flerovium -
	=				2	В	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204	113	R	nihonium –
											30	Zu	zinc 65	48	В	cadmium 112	80	Нg	mercury 201	112	ပ်	copemicium
											29	Cn	copper 64	47	Ag	silver 108	62	Αn	gold 197	111	Rg	roentgenium -
Group											28	ïZ	nickel 59	46	Pq	palladium 106	78	础	platinum 195	110	Ds	darmstadtium -
) Dig											27	රි	cobalt 59	45	格	rhodium 103	77	Г	iridium 192	109	M	meitnerium -
		- ⊐	hvdrogen	1							26	Ьe	iron 56	44	Ru	ruthenium 101	92	Os	osmium 190	108	Hs	hassium
											25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium –
						pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≯	tungsten 184	106	Sg	seaborgium -
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	qN	niobium 93	73	Дa	tantalum 181	105	Op	dubnium –
							rek				22	ï	titanium 48	40	Zr	zirconium 91	72	Ŧ	hafnium 178	104	Ŗ	rutherfordium -
				•							21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	S	strontium 88	56	Ba	barium 137	88	Ra	radium -
	_				ဇ	:=	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	&	rubidium 85	55	S	caesium 133	87	Ŧ	francium -

71	lutetium 175	103	ئ	lawrencium -
02 X	ytterbium 173	102	%	nobelium –
69 L	thulium 169	101	Md	mendelevium –
68 Fr	erbium 167	100	Fm	fermium -
29 29	holmium 165	66	Es	einsteinium –
99	dysprosium 163	86	ర్	califomium -
65 Th	terbium 159	26	番	berkelium -
64 1.0	gadolinium 157	96	Cm	curium
63 F.	europium 152	92	Am	americium —
62 S	samarium 150	94	Pu	plutonium —
61 D	promethium	93	ď	neptunium –
09	neodymium 144	92	\supset	uranium 238
59 D	praseodymium	91	Ра	protactinium 231
58 0	cerium 140	06	드	thorium 232
57	lanthanum 139	68	Ac	actinium _

lanthanoids

actinoids

The volume of one mole of any gas is $24\,\mathrm{dm}^3$ at room temperature and pressure (r.t.p.).