

Cambridge IGCSE[™]

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		



COMBINED SCIENCE

0653/43

Paper 4 Theory (Extended)

May/June 2024

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

1 (a) Fig. 1.1a and Fig. 1.1b are diagrams of different flowers.




Fig. 1.1a Fig. 1.1b

(i) Table 1.1 shows some of the labels in Fig. 1.1a and Fig. 1.1b, the name of the part and its function.

Complete Table 1.1.

Table 1.1

label	name	function
	sepal	
С		produces
		·
		site of pollination

[3]

C

(ii) Describe one **visible** feature in Fig. 1.1a that shows the flower is insect-pollinated.

(b) Fig. 1.2 is a diagram of a sperm cell.




	FIg. 1.2	
(i)	State two adaptive features of sperm cells.	
	1	
	2	
		[2]
ii)	Describe what happens during fertilisation to the structure labelled X in Fig. 1.2.	
		[2]
	т	otal: 8]

- 2 Oxides of nitrogen are pollutant gases formed in car engines. Nitrogen monoxide, NO, and nitrogen dioxide, NO₂, are both oxides of nitrogen.
 - (a) Nitrogen, N₂, and oxygen, O₂, react together in car engines to make nitrogen monoxide, NO.
 Nitrogen monoxide reacts with oxygen to form nitrogen dioxide, NO₂.

The energy level diagrams for these reactions are shown in Fig. 2.1 and Fig. 2.2.




Fig. 2.1 Fig. 2.2

- (i) Complete the energy level diagrams shown in Fig. 2.1 and Fig. 2.2 by labelling:
 - the activation energy
 - the energy change of reaction.

[3]

(ii) The following statements are about the reactions shown in Fig. 2.1 and Fig. 2.2.

Put **one** tick (✓) for each statement to show if it is true or false.

statement	true	false
The reaction between nitrogen and oxygen is exothermic.		
When nitrogen monoxide reacts with oxygen, the energy given out is greater than the energy taken in.		
Both reactions involve breaking bonds.		
Both reactions involve elements reacting together to form compounds.		

[2]

	(iii)	Write the balanced symbol equation for the reaction between nitrogen oxide, NO, a oxygen, O_2 , to make nitrogen dioxide, NO_2 .	ınd
			[1]
(b)) Oxi	des of nitrogen are simple molecules.	
	Exp	plain why oxides of nitrogen have low boiling points.	
	Use	e ideas about forces and energy in your answer.	
			[2]
		[Total:	: 8]

3 Fig. 3.1 shows a television (TV) connected to a satellite dish. The satellite dish receives microwave signals from a satellite above the Earth.




Fig. 3.1

not to scale

(a) (i) On Fig. 3.2, write microwaves in the correct place in the electromagnetic spectrum.

					ng frequency
gamma radiation	ultraviol	et			radio waves

Fig. 3.2

[1]

(ii) State one danger of ultraviolet radiation.

F.4
 . [1

- (b) The microwave signal travels from the satellite to the satellite dish at a speed of 3.0×10^5 km/s.
 - (i) The satellite is a distance of 37 000 km from the satellite dish.

Calculate the time taken by the microwave signal to travel from the satellite to the satellite dish.

time = s [2]

(ii)	The microwave signal from the satellite has a frequency of $12 \times 10^9 \text{Hz}$.
	Calculate the wavelength in metres of the microwave signal.

wavelength =		m	[3]
--------------	--	---	-----

[Total: 7]

4 (a) Fig. 4.1 shows a model of the alimentary canal and associated organs of humans.

The model is viewed from the back.




Fig. 4.1

(1)	On Fig. 4.1, draw a label line and the letter P to identify the pancreas.	[1]
(ii)	Amylase is an enzyme in the alimentary canal.	
	Explain why amylase does not break down proteins.	
		[2]
(iii)	State the name of the product when proteins are digested.	
		[1]

(b)	Vita	amins and minerals are absorbed into blood capillaries in the alimentary canal.	
	(i)	A diet that lacks vitamin D is a cause of vitamin D deficiency in humans.	
		State one other cause of vitamin D deficiency in humans.	
			[1]
	(ii)	Describe one effect of vitamin D deficiency in humans.	
			[1]
	(iii)	Explain how capillaries are adapted to their function.	
			[2]
		[Tota	ıl: 8]

Zinc and some zinc compounds react with dilute acids to make salts.

5

(a)	(i)	Complete the	word ed	quations for the fol	lowing re	eactions.			
		zinc	+	sulfuric acid	\rightarrow		+	hydrogen	
			+	hydrochloric acid	\rightarrow	zinc chloride	+	water	[2]
	(ii)	-		substances showr					
		2							[2]
(b)	A m	etal carbonate	reacts v	vith a dilute acid to	o form a	salt and two other p	orodi	ucts.	
	lder	ntify the two ot	her prod	ducts formed in the	e reactio	n.			
	1								
	2								[2]
(c)		scribe how the cator.	pH nur	mber of a sample	e of dilu	te sulfuric acid is o	dete	rmined usin	g an
									[2]
(d)	Son	ne soils are aci	idic.						
	Des	scribe how the	acidity ir	n soils is controlled	l.				
								נוטני	al: 9]

BLANK PAGE

6 Fig. 6.1 shows three forces, **Q**, **R** and **P**, acting on a bus moving along a level road at constant speed.




Fig. 6.1

(a)	The driving force acting on the bus	is not snown on Fig. 6.1.

(i)	On Fig. 6.1, draw an arrow labelled S to represent the driving force acting on the bus. [[1]
(ii)	State the cause of the force labelled Q .	

	[1]

(b) The mass of the bus is 7500 kg.

The gravitational force on unit mass is 10 N/kg.

Explain why the force labelled **R** must be 75 000 N.

••••	 	 	 	 	• • • •	••••	• • • •	••••	 • • •	•	 	 • • • •	 • • • •	 	 ••••	 • • •	• • • •	 • • •	• • • •	• • • •	 •••	• • • •	 • • • •	••••	
																									LO.
																									1/
	 	 	 	 					 		 	 	 	 	 	 		 			 		 		1-

(c) Fig. 6.2 shows a speed–time graph of the motion of a bus on a journey between two bus stops.




Fig. 6.2

(i) Calculate the acceleration of the bus as it starts the journey.

Give the units of your answer.

(ii) Use Fig. 6.2 to calculate the distance in metres travelled by the bus before it begins to slow down.

(iii) The total distance between the bus stops is 2.65 km.

Use your answer to (c)(ii) to find the distance in metres travelled by the bus while it is decelerating.

[Total: 11]

BLANK PAGE

7 (a) Fig. 7.1 is a diagram of a cross-section through a leaf.




Fig. 7.1

different.	15
similar	
different	
	 [2]
L	<u>-</u> _]
Describe how water moves from the surface of the spongy mesophyll cells to outside the stomata.	те
[3]

(b)	Plants	produce	a c	chemical	called	auxin
-----	---------------	---------	-----	----------	--------	-------

Complete these sentences about auxin.

Auxin is made in the shoot

Auxin then spreads through the shoot, where it causes growth by stimulating

cell

(c) Plants are usually the producer in a food web.

Fig. 7.2 shows a food web with a different producer.




Fig 7.2

(i) Identify all the organisms in Fig 7.2 that occupy trophic level 2.

.....[1]

(ii) Circle all the **bold** words in the sentences about the osprey from Fig. 7.2 which make the sentences correct.

The osprey is a **secondary / tertiary** consumer and is a **carnivore / herbivore**.

This is because the osprey eats large / small fish.

[2]

[Total: 11]

8 The structures of ethene and ethane are shown in Fig. 8.1.




Fig. 8.1

(a) Ethene is a member of the alkene homologous series.

All alkenes are hydrocarbons with the same general formula.

(i)	State one other similarity between all members of the alkene homologous series.	
(ii)	State the general formula for alkenes and for alkanes.	
	alkenes	
	alkanes	[2]


(b) Many ethene monomer units react together in addition polymerisation to form poly(ethene).

Draw the structure of a poly(ethene) molecule to show the part formed from **three** ethene monomer units.


[2]

(c) Cracking produces ethene from larger molecules.

The cracking of molecule **A** forms a molecule of ethene and a molecule of compound **B**, as shown in Fig. 8.2.



cracking






Fig. 8.2

(i) Complete Fig. 8.2 by drawing the structure of compound **B**. [2]

(ii) State the conditions required for cracking.

...... and [2]

[Total: 9]

9 Fig. 9.1 shows a simple circuit containing two identical lamps.




Fig. 9.1

(a)	Complete these sentences.
	Potential difference is measured in units called
	The current in the circuit is a flow of

(b) The cell produces a total e.m.f. of 2.4 V. There is a current of 0.50 A in the circuit.

(i) Calculate the power supplied by the cell.

power =	 W	[2]

[2]

(ii) The cell in Fig. 9.1 has a total charge of 9000 C. Calculate the maximum time in hours for which the cell can produce a current of 0.5A.

time = h [3]

(c) Fig. 9.2 shows the same circuit components connected in a different arrangement.




Fig. 9.2

(i)	Describe how the circuit arrangement in Fig. 9.2 differs from that shown in Fig. 9.1.
(ii)	Predict whether the reading on the ammeter in Fig. 9.2 will be greater or less than the ammeter reading in Fig. 9.1.
	Give a reason for your answer.
	[1]
	[Total: 9]

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

	=	2 He	helium 4	10	Ne	neon 20	18	Ar	argon 40	36	궃	krypton 84	55	Xe	xenon 131	98	R	radon	118	Og	oganesson -
	=			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Ŗ	bromine 80	53	н	iodine 127	85	At	astatine _	117	<u>⊼</u>	tennes sine -
	>			80	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>a</u>	tellurium 128	84	Ъ	molonium —	116	_	livermorium -
	>			7	Z	nitrogen 14	15	₾	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	Ξ	bismuth 209	115	Mc	moscovium -
	≥			9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	S	tin 119	82	Вр	lead 207	114	Ρl	flerovium -
	≡			2	Ω	boron 11	13	Ρl	aluminium 27	31	Ga	gallium 70	49	I	indium 115	18	11	thallium 204	113	R	nihonium -
										30	Zu	zinc 65	48	පි	cadmium 112	80	Ρ̈́	mercury 201	112	ပ်	copemicium -
										59	CG	copper 64	47	Ag	silver 108	79	Αn	gold 197	111	Rg	roentgenium -
Group										28	Z	nickel 59	46	Pd	palladium 106	78	చ	platinum 195	110	Ds	darmstadtium -
يَ				1						27	රි	cobalt 59	45	格	rhodium 103	77	٦	iridium 192	109	Μ̈́	meitnerium -
		- I	hydrogen 1							26	Fe	iron 56	44	R	ruthenium 101	92	SO	osmium 190	108	H	hassium -
										25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium –
				_	pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	qN	niobium 93	73	д	tantalum 181	105	Op	dubnium –
					atc	rek				22	j=	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	꿆	rutherfordium -
										21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	လွ	strontium 88	26	Ва	barium 137	88	Ra	radium -
	_			3	=	lithium 7	11	Na	sodium 23	19	×	potassium 39	37	&	rubidium 85	55	S	caesium 133	87	Ŧ	francium -

71	n	lutetium 175	103	۲	lawrencium	I
02	Λp	ytterbium 173	102	2	nobelium	I
69	=	thulium 169	101	Md	mendelevium	I
89 I	ш	erbium 167	100	Fm	fermium	I
29	유	holmium 165	66	Es	einsteinium	I
99	Ś	dysprosium 163	86	రే	califomium	I
65	<u>q</u>	terbium 159	26	番	berkelium	I
64	g Cg	gadolinium 157	96	Cm	curium	_
63	En	europium 152	92	Am	americium	_
62	SH	samarium 150	94	Pu	plutonium	_
61	H	promethium -	93	Ν d	neptunium	_
09	D Z	neodymium 144	92	\supset	uranium	238
59	ŗ	praseodymium 141	91	Ра	protactinium	231
58	Çe	cerium 140	06	드	thorium	232
22	Гa	lanthanum 139	68	Ac	actinium	I

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).