



Cambridge IGCSE[™]

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		



COMBINED SCIENCE

0653/33

Paper 3 Theory (Core)

October/November 2024

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS


- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

This document has 24 pages. Any blank pages are indicated.

(a) Fig. 1.1 shows the alimentary canal and associated organs of a human.



2

Fig. 1.1

(i) State the letter in Fig. 1.1 that identifies t	(i)	State the	letter in Fi	ia. 1.1 that	identifies the:
--	-----	-----------	--------------	--------------	-----------------

oesophagus.

(ii) Circle the function of the part labelled **E** in Fig. 1.1.

egestion excretion ingestion reproduction

- (b) Enzymes are found in the alimentary canal.
 - (i) Complete the definition of enzymes.

Enzymes are that function as biological


[2]

[2]

[1]



i) Fig. 1.2 is a graph showing the effect of temperature on an enzyme.



3

Fig. 1.2

Describe the effect of temperature on enzyme activity shown in Fig. 1.2.

	•	-	
Inc	clude data in your answer.		
			 [2]

- (c) Fats are digested in the alimentary canal.
 - (i) Circle one food that is a principal source of fat.

breau	Clieese	oranges	tomatoes	
				[1]

(ii) Use two words to complete the sentence.

[1]

[Total: 9]

BLANK PAGE



2 A student investigates the rate of reaction between pieces of calcium metal and dilute hydrochloric acid.

The mass is recorded every 30 s during the reaction.

Fig. 2.1 shows the apparatus.





Fig. 2.1

- (a) The reaction produces hydrogen gas.
 - (i) Complete the word equation for this reaction.



(ii) Describe the test for hydrogen gas.

State the observation for the positive result.

test

[2]

(iii) The conical flask becomes hot during the reaction.

State the term for chemical reactions that release heat.

______[1]

(b) The student repeats the experiment using iron, magnesium and zinc instead of calcium.

The pieces of metal used are all the same size.

The dilute hydrochloric acid is in excess.

Table 2.1 shows the results.

Table 2.1

time /s	mass of conical flask + acid + metal /g						
	calcium	iron	magnesium	zinc			
0	210.25	211.55	212.50	209.50			
30	209.35	211.25	211.80	209.10			
60	208.30	210.85	210.90	208.70			
90	207.20	210.50	210.15	208.35			
120	206.30	210.15	209.40	207.80			

i) Table 2.2 shows the change in mass for three of the metals.

Complete Table 2.2 by calculating the change in mass for zinc.

Table 2.2

metal	change in mass/g
calcium	3.95
iron	1.40
magnesium	3.10
zinc	

[1]

(c)



(ii)	Use the information in Table 2.1 and Table 2.2 to identify the least reactive metal.	
	Explain your answer.	
	metal	
	explanation	
		[2]
Iron	n is a transition element.	
(i)	State two physical properties of iron.	
	1	
	2	
		[2]
(ii)	Iron is used to make alloys.	
	Suggest why alloys are used instead of pure metals.	
		[1]
	[Tota	al: 11]

3 (a) Fig. 3.1 shows the electrical symbol for a circuit component.



Fig. 3.1

State the name of the component.

.....[1]

(b) Fig. 3.2 shows a circuit used to determine the resistance of resistor X.




Fig. 3.2

The reading on the ammeter is 0.16A.


The reading on the voltmeter is 2.4 V.

Calculate the resistance of resistor X.

Give the unit of your answer.



(c) (i) Resistor Y is connected in series with resistor X, as shown in Fig. 3.3.



9

Fig. 3.3

Describe how the reading on the ammeter in Fig. 3.3 compares with the reading on the ammeter in **(b)**. Give a reason for your answer.

	 	 	 	 	 	[1]
reason	 	 	 	 	 	
reading	 	 	 	 	 	

(ii) Resistor Y is now connected in parallel with resistor X, as shown in Fig. 3.4.




Fig. 3.4

Describe how the reading on the ammeter in Fig. 3.4 compares with the reading on the ammeter in **(b)**. Give a reason for your answer.

reading				
roccon				
reason		 		
				[2

[Total: 7]



Fig. 4.1 is a diagram of the circulatory system in humans where the arrows show the direction of blood flow.




Fig. 4.1

(i)	Identify the part of the heart labelled X in Fig. 4.1.
	[1]
(ii)	A student states that the part labelled Y in Fig. 4.1 is the pulmonary artery.
	Describe evidence from Fig. 4.1 that supports this statement.
	[2]
(iii)	Describe what happens to the flow of blood through the circulatory system during increased physical activity.
	[1]



(b) Two components of blood are red blood cells and plasma.

		e one similarity between the function of red blood cells and the function of plasma and difference.
	simi	larity
	diffe	rence
		[2]
(c)	Whi	te blood cells are another component of blood.
	(i)	State the name of one structure found in a plant cell but not found in a white blood cell.
		[1]
	(ii)	Describe how water moves into a cell.
		[2]
		[Total: 9]



(b)

5 (a) Complete the sentences about air.

Use the words from the list. Each word may be used once, more than once or not at all.

12

CO	mpound	methane	mixture	nitrogen	oxygen		
•	Air is a						
•	The gas with the largest percentage in clean air is						
•	21% of clean ai	ir is				[3]	
Fig.	5.1 shows mode	els of the molecul	ar structures of tw	o air pollutants, A a	and B .		
				Key			




Fig. 5.1

- (i) State the name of pollutant A.

 (ii) Pollutant B is carbon monoxide.

 State one effect of carbon monoxide on human health.

 [1]
- **(c)** Methane is a greenhouse gas.

Fig. 5.2 shows the molecular structure of methane.




Fig. 5.2

* 0000800000013 *

13

(i) State the group of hydrocarbons to which methane belongs.

[

(ii) Draw lines to show which descriptions are true for methane.

One line has been drawn for you.

methane description main constituent of natural gas generally unreactive hydrocarbon unsaturated decolourises aqueous bromine

(iii) Complete the dot-and-cross diagram in Fig. 5.3 to show the bonding in a methane molecule, ${\rm CH_4}$.

Show all the outer shell electrons.




Fig. 5.3

[1]

[2]

[Total: 9]

[3]



6 Fig. 6.1 shows a horse pulling a cart along a flat, horizontal road.




Fig. 6.1

The horse and cart move forward at a constant speed of 3.2 km/h.

(a) Complete the sentences about the horse using **one** word in each gap.

The horse is moving at constant speed, so the energy of the horse must be constant.

The of the horse is related to the work done by the horse and the time taken to do the work.

(b) Calculate the time taken, in hours, for the horse and cart to move a distance of 4.0 km.

time =h [2]

(c) The horse pulls the cart forward with constant force ${\bf F}$.

Fig. 6.2 shows force **F** acting on the cart.




Fig. 6.2

	Ford	ce F keeps the cart moving at constant speed.
	Sug	gest why force F does not increase the speed of the cart.
		[2]
(d)	The	hearing range of the horse is different from the hearing range of a healthy human.
	The	range of audible frequencies for the horse is 55 Hz to 33.5 kHz.
	(i)	State what is meant by a frequency of 55 Hz.
		[1]
	(ii)	Use data to describe how the hearing range of the horse is different from the hearing range of a healthy human.
		[2]
		[Total: 10]

7 Plants manufacture carbohydrates by the process of photosynthesis.

The carbohydrates are then stored as starch in the leaves.

(a) Three plants of the same type, A, B and C, are placed in different conditions.

After two days, a leaf from each plant is tested with iodine solution.

Table 7.1 shows the results.

Table 7.1

plant	conditions	colour of iodine solution
Α	carbon dioxide available but no light	orange
В	carbon dioxide and light available	blue-black
С	light available but no carbon dioxide	orange

(i)	Exp	plain why the result for plar	nt B is different from	the results for plan	ts A and C .	
						•••
						[2]
(ii)	Pla	nts need chlorophyll for ph	notosynthesis.			
	Circ	cle the mineral ion needed	by plants for making	g chlorophyll.		
ca	lciur	n magnesium	potassium	sodium	zinc	
- Ou	ioiai	ii iiiagiioolaiii	potassiam	Soulain		
					l	[1]
(iii)	Wa	ter is a raw material for ph	otosynthesis.			
	Cor	nplete these sentences ab	oout the movement o	of water in a plant.		
	•	Water enters the roots th	rough root	ce	ells.	
	•	Water is transported from	the roots to the leav	es in	vesse	ls.
	•	Water is then lost from the				



(b) Plants are the producers in a food chain.

Fig. 7.1 shows information about organisms in one food chain.

butterflies feed on parts of flowers

17

- · frogs eat the butterflies
- herons eat the frogs

Fig. 7.1

(i)	Construct a food chain using all the organisms in Fig. 7.1.	
		[2]
(ii)	Identify the primary consumer in Fig. 7.1.	
		[1]
	[Tota	l: 9]

[Total: 6]

Fig. 8.1 shows apparatus for the electrolysis of dilute sulfuric acid using inert electrodes.




Fig. 8.1

a)	(1)	Label the cathode on Fig. 8.1.	[1]
	(ii)	State the name of the product formed at the:	
		positive electrode	
		negative electrode.	 [2]
	(iii)	State the name of an element used to make inert electrodes.	
			[1]
b)	Stat	te the formula of sulfuric acid.	
			[1]
c)	Dilu	ite sulfuric acid is the electrolyte in this electrolysis.	
	Cor	mplete the sentence about electrolytes.	
	Elec	ctrolytes must be in aqueous solution or for electrolysis to occ	cur. [1]


* 000080000019 *

19

BLANK PAGE



Fig. 9.1 shows a candle made of wax.



20

Fig. 9.1

- (a) (i) On Fig. 9.1, draw and label a force arrow to show the weight of the candle. [1]
 - (ii) The mass of the candle is 12g.

Calculate the weight of the candle.

The gravitational force on unit mass is 10 N/kg.

weight = N [3]

(b) The flame of the candle emits visible light and infrared radiation.

Fig. 9.2 shows an incomplete electromagnetic spectrum.

On Fig. 9.2, write infrared in the correct place.

increasing frequency										
gamma rays			visible light							

Fig. 9.2

[1]



(c) The candle is made of wax.

Wax melts at a temperature about half-way between room temperature (20 °C) and the boiling point of water.

21

Estimate the melting point of the wax. Show your working.

	melting point =°C [2]
(d)	When wax melts, the volume of the wax increases.
	State the effect this has on the density of the wax.
	Explain why the density changes in this way. Use ideas about particles in your explanation.
	effect on density
	explanation
	[3]

[Total: 10]

BLANK PAGE



BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.





The Periodic Table of Elements

											I										
	■>	2 He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon	118	Og	oganesson
	=			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	Н	iodine 127	85	¥	astatine -	117	<u>s</u>	tennessine -
	5			8	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	8	Ъ	molod	116		livermorium
	>			7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	Ξ	bismuth 209	115	Mc	moscovium
	≥			9	O	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	Εl	flerovium -
	≡			2	Ω	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	lΤ	thallium 204	113	Ę	nihonium
										30	Zu	zinc 65	48	ပ	cadmium 112	80	Hg	mercury 201	112	S	copernicium
										29	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium -
Group										28	Z	nickel 59	46	Pd	palladium 106	78	Ŧ	platinum 195	110	Ds	darmstadtium -
Gro										27	ပိ	cobalt 59	45	Rh	rhodium 103	77	'n	iridium 192	109	Ψ	meitnerium -
		- I	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	92	Os	osmium 190	108	Hs	hassium
										25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium
					lod	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	q	niobium 93	73	Та	tantalum 181	105	QQ	dubnium –
					ato	190				22	F	titanium 48	40	Zr	zirconium 91	72	Ŧ	hafnium 178	104	껖	rutherfordium -
										21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	56	Ва	barium 137	88	Ra	radium
	_			က	:=	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	ъ	francium

24

						_
71	Γn	lutetium 175	103	۲	lawrencium	I
20	Υp	ytterbium 173	102	8	nobelium	I
69	Tm	thulium 169	101	Md	mendelevium	_
89	ш	erbium 167	100	Fm	ferminm	-
29	웃	holmium 165	66	Es	einsteinium	-
99	۵	dysprosium 163	86	Ç	californium	-
65	Тр	terbium 159	26	Ř	berkelium	_
64	gq	gadolinium 157	96	CB	cunium	_
63	En	europium 152	92	Am	americium	-
62	Sm	samarium 150	94	Pn	plutonium	-
61	Pm	promethium -	93	ď	neptunium	-
09	PN	neodymium 144	92	\supset	uranium	238
69	Ā	praseodymium 141	91	Pa	protactinium	231
58	Ce	cerium 140	06	드	thorium	232
57	Га	lanthanum 139	89	Ac	actinium	I

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).