

Cambridge IGCSE[™](9–1)

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

2807998811

CO-ORDINATED SCIENCES

0973/42

Paper 4 Theory (Extended)

May/June 2024

2 hours

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 120.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

1 (a) Fig. 1.1 is a diagram of a wind-pollinated flower.




Fig. 1.1

(i)	State which letter in Fig. 1.1 identifies the part where:
	fertilisation occurs
	pollen is produced[2]
(ii)	Describe two visible pieces of evidence in Fig. 1.1 that show the flower is adapted for wind-pollination.
	1
	2
	[2]

(b) Fig. 1.2 is a photomicrograph of pollen from an **insect**-pollinated flower.



Fig. 1.2

Describe two ways the appearance of pollen from a wind-pollinated flower is different from

(d)	Reproduction is one of the characteristics of living organisms.
	State two other characteristics of living organisms.
	1
	2
	[2]

[Total: 11]

BLANK PAGE

2 A student heats three substances **X**, **Y** and **Z** in a water-bath.

Table 2.1 shows the state of the three substances before heating, during heating and after cooling.

Table 2.1

substance	before heating	during heating	after cooling
X	solid	liquid	solid
Y	liquid	liquid	liquid
Z	solid	solid	solid

(a) Draw **one** line from substance **X** and **one** line from substance **Y** to show the arrangement of the particles before heating.

substance X	
substance Y	
	[2]
Describe the difference in the movement of the particles in a solid and in a liquid.	
solid	
	substance Y Describe the difference in the movement of the particles in a solid and in a liquid.

[2]

liquid

(c)	Explain how we know that the change to substance X is a physical change and not a chemical change.
	[2]
(d)	Substance Z is the ionic compound sodium chloride, NaC <i>l</i> .
	Draw a dot-and-cross diagram to show the ionic bonding in sodium chloride.

[2]

(e) Fig. 2.1 shows the electrolysis of concentrated aqueous sodium chloride.

Complete the **three** labels on Fig. 2.1 to show the products made.




Fig. 2.1

[3]

[Total: 11]

3 Fig. 3.1 shows a sea turtle.




		Fig. 3.1	
(a)	(i)	On Fig. 3.1, draw an arrow to show the direction of the weight force acting on the turtle.	sea
		Label your arrow with the letter W .	[1]
	(ii)	Complete the sentence to describe weight.	
		Weight is a force caused by the effect of a field	
		on a	[1]
(b)	The	e sea turtle travels a distance of 1200 km in 20 days.	
	Cal	culate the average speed of the sea turtle.	
	Giv	e your answer in km/h.	

average speed =km/h [3]

(c)	A te	eam of scientists fits a tracker unit to the sea turtle to monitor its location.
		tracker unit sends a signal using radio waves each time the sea turtle moves to the face of the water.
	(i)	Radio waves are part of the electromagnetic spectrum.
		Complete the sentences to compare radio waves to visible light.
		Radio waves have a frequency and
		a wavelength than visible light.
		Radio waves and visible light both travel atm/s in a vacuum. [2]
	(ii)	The radio waves emitted by the tracker unit have a frequency of $1.5 \times 10^9 \text{Hz}$.
		Calculate the wavelength of the radio waves.
		wavelength = m [2]
	(iii)	The tracker unit uses a battery with an electromotive force (e.m.f.) of 11 V that provides a power output of 22 mW.
		The battery can transfer a total charge of 24 000 C before it needs replacing.
		Calculate the time for which the battery operates before it needs replacing.

[Total: 13]

4	(a)	Blood glucose concentration is controlled so that it remains within set limits.	
		State the name given to this type of control.	
			[1]

(b) Fig. 4.1 shows the blood glucose concentration of a person after they have eaten a meal.




Fig. 4.1

This is then stored in the reducing the blood glucose

[5]

© UCLES 2024 0973/42/M/J/24

concentration to its previous level.

(c)	State the names of two hormones that increase blood glucose concentration.	
	1	
	2	
		[2]
(d)	State the name of the component of blood that transports hormones.	
		. [1]
(e)	Table 4.1 compares nervous and hormonal control.	
	Complete Table 4.1.	
	Table 4.1	
		1

	nervous control	hormonal control
form of transmission		chemical hormones
relative speed of action		
relative longevity of action		

[3]

[Total: 12]

5 Some students investigate the reaction between marble chips and dilute hydrochloric acid.

They react marble chips of three different sizes, **A**, **B** and **C**, with excess dilute hydrochloric acid.

They use the same mass of marble chips, the same concentration of acid and the same temperature for each experiment.

The students measure the volume of carbon dioxide gas every 30 seconds until the reaction finishes.

Fig. 5.1 shows a graph of their results.




Fig. 5.1

(a) (i) State which marble chips, A, B or C, are the smallest.

.....[1]

(ii) Look at the line for marble chips **B**.

State when the rate of reaction is the **greatest**.

Choose your answer from the list.

0 - 30 s

30 - 60 s

60 - 90 s

90 - 120 s

answer = s [1]

© UCLES 2024

(b)	The students did the experiments at 20 °C.
	State how the rate of reaction will change if they do the experiments again at 40 °C.
	Explain your answer using ideas about collisions between particles.
	[3]
(c)	Calculate the volume occupied by 1.1g of carbon dioxide gas at room temperature and pressure.
	The volume of one mole of any gas is 24 dm ³ at room temperature and pressure (r.t.p.).
	[A _r : C, 12; O, 16]
	volume of carbon dioxide gas = dm ³ [3]
(d)	Carbon dioxide is a greenhouse gas.
	State two problems caused by increased concentrations of greenhouse gases.
	1
	2
	ici
	[2]

6 Fig. 6.1 shows an electric pressure-washer being used to wash a car.



Fig. 6.1

1	(a)	The pressure-washer	numns water	at a l	hiah r	ressure	through a	small	nozzle
١	(a)	The pressure-washer	pullips water	ala	ıngırp	ncssuic	unougna	Siliali	TIOZZIC.

The cross-sectional area of the nozzle is $5.0 \times 10^{-6} \, m^2$.

The water leaves the nozzle with a pressure of $9.0 \times 10^6 \, \text{Pa}$.

Calculate the force exerted by the water as it leaves the nozzle.

force =	N	[2]
10100	IN	[-]

(b) The pressure-washer uses a d.c. motor to pump the water out of the nozzle.

Fig. 6.2 shows a diagram of a simple d.c. motor.

(c)




Fig. 6.2

(i)	The arrows on Fig. 6.2 show the direction of the current.	
	Draw an arrow to show the direction of the force acting on the coil at the point labelle	d X [1
(ii)	Describe the function of the split-ring commutator in a simple d.c. motor.	
		[2
Afte	er the car has been washed, droplets of cold water remain on the roof of the car.	
Afte	er a few minutes, the droplets of water have disappeared.	
(i)	State the name of the process which causes the droplets of water to disappear.	
		[1
(ii)	Describe the process which causes the droplets of water to disappear in te of molecules.	rms

[Total: 8]

7 (a) A student investigates antibiotic resistance in one strain of bacteria.

They use five different antibiotics on paper discs.

The antibiotic discs are placed in a Petri dish with the bacteria and left for three days.

Fig. 7.1 shows the results.




Fig. 7.1

Identify the antibiotic in Fig. 7.1 that is **most** effective against this strain of bacteria.

Give one reason for your answer.

(b)

antibi	iotic	
reaso	on	
		[2]
The o	differences in antibiotic resistance in bacteria are caused by random mutation.	
(i) S	State the structure in a cell where mutation occurs.	
		[1]

......[1]

State the type of radiation that increases the rate of mutation.

Explain why the development of antibiotic resistance in bacteria is an example of evolution.				
[2]				
[Total: 6]				

8 Fig. 8.1 shows the structures of three carbon compounds.




Fig. 8.1

(a) Ethene is an unsaturated hydrocarbon.

	Explain how the structure of ethene shows that ethene is an unsaturated hydrocarbon.	
	unsaturated	
	hydrocarbon	
		[2]
(b)	Ethene, C ₂ H ₄ , reacts with hydrogen to make an alkane.	
	Write the balanced symbol equation for this reaction.	
		[2]
(c)	Complete the dot-and-cross diagram in Fig. 8.2 to show the bonding in ethene.	




Fig. 8.2

[2]

© UCLES 2024 0973/42/M/J/24

Only show the outer-shell electrons.

(d)	Ethanol is made by fermentation.	
	State one condition for making ethanol by fermentation.	
		[1]
(e)	Ethanol can also be made from ethene in an addition reaction.	
	Complete the symbol equation for this reaction.	
	$C_2H_4 + \dots \rightarrow C_2H_5OH$	[1]
(f)	A scientist makes a solution of ethanol.	
	250 cm ³ of the solution contains 5.75 g of ethanol.	
	Calculate the concentration of the ethanol solution in mol/dm ³ .	
	[A _r : C, 12; H, 1; O, 16]	

concentration of ethanol solution = mol/dm³ [4]

[Total: 12]

- **9** The element strontium has many naturally occurring isotopes, some of which are unstable.
 - (a) Table 9.1 shows the half-lives of four unstable isotopes of strontium.

Table 9.1

isotope	half-life	
strontium-82	25.4 days	
strontium-83	1.35 days	
strontium-85	64.8 days	
strontium-90	28.9 years	

(i) Fig. 9.1 shows a decay curve for one of the isotopes given in Table 9.1.




Fig. 9.1

Determine which isotope of strontium from Table 9.1 would give the data shown in Fig. 9.1.

	(ii) A scientist purchases a sample of a strontium isotope to use as a radioactive source in a series of experiments.			
	The scientist estimates that the experiments will take three months to complete.			
	Suggest which of the isotopes in Table 9.1 would be best for the scientist to purchase.			
		Explain y	our suggestion.	
		isotone		
		explanation	on	
				[1]
(h)	Dia	aa tiaka (4	() in Table 0.2 to about the mature of a bate norti	
(D)	Pla	ce ticks () in Table 9.2 to show the nature of a beta parti	cie.
			Table 9.2	
			has a positive charge	
			has a negative charge	
			has no charge	
			is affected by electric fields	
			is affected by magnetic fields	
			is not affected by electric or magnetic fields	
				[2]
(c)	The	density of	f strontium is 2.6 g/cm ³ .	
	A sa	ample of st	trontium has a mass of 7.8 g.	
	Cal	culate the	volume of the sample of strontium.	
			volume =	cm ³ [2]
				[Total: 7]

10	(a)	Red blood cell	s are specialised to transport oxyge	en.	
		Describe two	ways that red blood cells are adapte	ed for their function.	
		1			
		2			
					[2]
	(b)	A student inve	stigates the effect of different conce	entrations of salt sol	
			mmerses the red blood cells in di	fferent concentration	ons of salt solution and
		Table 10.1 sho	ws the results.		
			Table 10.1		
					1
			concentration of salt solution g/dm ³	observation	
			10.0	cells shrink	
			8.0	no change	
			6.0	cells burst	
			4.0	cells burst	
			2.0	cells burst	
		(i) Identify th	e salt solution with the same water	potential as red blo	od cells.
					g/dm³ [1]
		(ii) Explain th	e observation seen at 10.0 g/dm ³ i	n Table 10.1.	

(c)	The investigation is repeated with plant cells.			
	(i)	Plants cells do not burst when immersed in 2.0 g/dm³ salt solution.		
		Explain why.		
			[2]	
	(ii)	State two uses of water in plant cells.		
		1		
		2		
			[2]	
	(iii)	State the name of the type of plant cell specialised for absorption of water.		
			[1]	
			[Total: 11]	

11 Sulfuric acid is made by the Contact process.

Fig. 11.1 shows part of the Contact process.




Fig. 11.1

(a) A catalyst is used in the Contact process.

Complete Fig. 11.1 to show the **two** other essential conditions used.

[2]

(b) In the Contact process, sulfur dioxide, SO_2 , reacts with oxygen, O_2 , to make sulfur trioxide, SO_3 .

$$2SO_2 + O_2 \rightleftharpoons 2SO_3$$

(i) Calculate the maximum mass of sulfur trioxide that is made from 1.6 kg of sulfur dioxide.

$$[A_r: O, 16; S, 32]$$

mass of sulfur trioxide = kg [3]

(ii) Fig. 11.2 shows the energy level diagram for the reaction to make sulfur trioxide.




Fig. 11.2

Draw and label on Fig. 11.2:

- the energy change in the reaction
- the activation energy of the reaction.

[2]

[Total: 7]

- **12** Electricity can be generated in different types of power stations.
 - (a) Table 12.1 gives some information about six types of power station.

Table 12.1

type of power station	energy per kg of fuel/MJ	efficiency of transfer to electrical energy/%	percentage of world electricity production
coal	29	32	37
hydroelectric (HEP)	_	90	15
natural gas	45	49	24
nuclear	5.0 × 10 ⁵	93	10
solar	_	21	9
wind	_	40	5

(i)	Use data from Table 12.1 to explain why electricity generation is negatively impacting the environment.
	[3]
(ii)	Nuclear power stations are very expensive to build.
	Apart from cost, state one advantage and one disadvantage of generating electricity using wind compared to nuclear.
	advantage
	disadvantage
	[2]
(iii)	Use data from Table 12.1 to calculate the mass of natural gas needed to generate the same electrical energy output as 1 kg of nuclear fuel.

mass =kg [3]

(b) A coal power station generates electricity at a voltage of 25 000 V.

A tr	ansformer is used to step the voltage up to 132000 V for transmission.	
(i)	The step-up transformer contains 3000 turns on the primary coil.	
	Calculate the number of turns on the secondary coil.	
	number of turns =	[2]
(ii)	Explain why electricity is transmitted at a voltage of 132 000 V and not 25 000 V.	
		[2]

[Total: 12]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

	 	Z He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon	86	R	radon -	118	Og	ganesson -
	=								chlorine 35.5												ennessine og
	>			8	0	oxyger 16	16	ഗ	sulfur 32	35	Se	seleniu 79	52	Te	telluriur 128	8	Po	poloniu	116	_	livermorium –
	>			7	z	nitrogen 14	15	₾	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	Ξ	bismuth 209	115	Mc	moscovium -
	≥			9	O	carbon 12	14	S	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	Pb	lead 207	114	Εl	flerovium -
	≡			2	В	boron 11	13	Ρl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	<i>1</i> L	thallium 204	113	R	nihonium –
										30	Zu	zinc 65	48	В	cadmium 112	80	Нg	mercury 201	112	Ö	copernicium –
										29	n O	copper 64	47	Ag	silver 108	62	Αn	gold 197	111	Rg	roentgenium -
dn										28	Z	nickel 59	46	Pd	palladium 106	78	五	platinum 195	110	Ds	darmstadtium -
Group										27	ဝိ	cobalt 59	45	R	modium 103	11	'n	iridium 192	109	¥	meitnerium -
		- I	hydrogen 1							26	Fe	iron 56	4	Ru	ruthenium 101	9/	SO	osmium 190	108	Hs	hassium
				J						25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	В	bohrium
					loc	SS				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	Q Q	niobium 93	73	<u>a</u>	tantalum 181	105	op O	dubnium -
				שׁ	atoı	relat				22	F	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	꿒	rutherfordium -
										21	Sc	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	56	Ва	barium 137	88	Ra	radium
	_			3	:=	lithium 7	1	Na	sodium 23	19	×	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	ъ́	francium -

71 Lu	lutetium 175	103	ئـ	lawrencium	_
oz Yb	ytterbium 173	102	8	nobelium	I
e9 Tm	thulium 169	101	Md	mendelevium	ı
88 Fr	erbium 167	100	Fm	ferminm	I
67 Ho	holmium 165	66	Es	einsteinium	1
66 Dy	dysprosium 163	86	ర్	californium	1
65 Tb	terbium 159	97	Æ	berkelium	1
64 Gd	gadolinium 157	96	Cm	curium	1
e3 Eu	europium 152	92	Am	americium	ı
Sm	samarium 150	94	Pu	plutonium	I
e1 Pm	promethium -	93	ď	neptunium	ı
9 09	neodymium 144	92	\supset	uranium	238
59 Pr	praseodymium 141	91	Pa	protactinium	231
S8 Ce	cerium 140	06	드	thorium	232
57 La	lanthanum 139	89	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).